

LPB Bank API: Swagger UI guidance

Version 2 Riga, 23.11.2023

CONTENTS

1.	INTERFACE	3
2.	AUTHORISATION	4
3.	METHODS	6
4.	CHANGES	8
5.	APPENDIXES:	9

1. Interface

Swagger UI is the API's graphical user interface. The interface presents an authorisation form called by clicking **Authorize**, the API methods grouped into notional blocks, and the data structures operated by the API.



2. Authorisation

The authorisation window requires the following inputs¹:

Username	Μ	API user name, provided by the Bank
Password	Μ	API user password
Client_id	Μ	Constant value: lpb
Client_secret	-	-
Language.lv	0	Return string in Latvian
Language.en	0	Return string in English
Language.ru	0	Return string in Russian

After entering the data, click **Authorize**:



¹ M – mandatory fields, O – optional fields

If authorisation is successful, the form will be replaced by a pop-up with the following format:



Unsuccessful authorisation will display an error message below the form:

Auth Error Error: Unauthorized

3. Methods

For convenient overview and searching, the API methods are grouped into several blocks: Accounts, Banks, Currencies, Payments, Dictionary. Each block contains one or more methods. The interface displays the HTTP request type of each method, i.e. GET, POST, DELETE etc., and the URL which the method can query. Methods can support various parameters. Mandatory parameters are marked with the label * required after the name. To try out a method and send a request to the API server, click **Try it out**. The parameters will become editable, and a request execution button – **Execute** – will appear below.

Swagger UI	× +	• - •
→ C ii api-test.lpb.	w/swagger/?url=/swagger/docs/api.local.json#/Accounts	©, ☆ 🎯 Incognito
Accounts Requests	related to accounts	~
GET /accounts	s Account list Method	۵
Returns account list stor	red in JSON array. Method Parameters	Interaction
Parameters		Try it out
Name	Description	
Cif string (query)	Filter accounts by CIF	
CURRENCY string (query)	Filter accounts by currency	
type string (query)	Filter accounts by type	
status string (query)	Filter accounts by status	
Responses		
Code	Description	Links
200	Success	No links

Interaction with the Swagger UI will output the request itself, as well as the body and header of the:

Swagger UI	× +		•	- 0
→ C (i	api-test.lpb.lv/swagger/?url=/swagger/docs/api.local.json#/Accounts/get_ac	counts Q	\$	lncognito
	Execute	Clear		
Responses				
				Request
curl -X GE Bearer eyJhbGciði BteHljIn0. ODY4Y2Y320 BwIiwic3Vi c3Vac3lubl Request URL	T "https://api-test.lpb.lv/api/accounts" -H "accept: applica JSUzIINiIsInRScCIgOiAiSldUIiwia2lkIiA6ICJXTDVNdElqYk1aTUhDRz eyJleHAiOjE2MzA100c30TYsImlhdCI6HTY2MDU4MDUSNiwianRpIjoiNTI4 ESIiwiaXNzIjoiaHR8cHM6Ly9hcGktdGVzdCSscGIubHYvYXV0aC9yZWFsbX IjoiNDlhY2YzOWItM6ZmMC60YzAxLThkYzktZDg2Zjlk0Dvi0WQSIiwidHlw axdGF07ST6TiE3NTH&MiovLTRkMsE+NGY40S1hMTEiTT1YxTv0011NiNiM	tion/json" -H "Author JrcmZjd3V1NEdmN2t2bFJ NGUzNzgtYzg8Yy000TAxl MvT0VPQXV0aCIsImF1ZCI IjoiQmVhcmVyIiwTYXpwJ TaTmEicitETiFil(1.v3s	izati JEbGxk Tk4M2 I6Im91 IjoibH De7ST6	ion: NGhPdV MtM2Ey YMJsQX (BIIIwi ITIRTO)
https://ap	vi-test.lpb.lv/api/accounts			
Server respon	ise			Response
200	Details			
	2			

4. Changes

This page displays API-related changes in chronological order. A link (changelog) to this resource can be found on the main Swagger UI page.



5. Appendixes:

- Appendix No.1: "API. Account Statement"
- Appendix No.2: "API. Password reset instructions"